




BEARPAWS 2024-2025




**PREMIUM HUBS
& ACCESSORIES**



Born in metal and inspired by nature, Bear Pawls hubs reflect the power that can be harnessed through exceptional technical design. Innovative engineering, uncompromising materials and industry-leading quality combine to create hubs for nearly every bicycle wheel application that are light, durable and easily serviceable.



CONTENTS



ROAD

13__BRV-001	15__BRV-013 *NEW*
13__BRV-002	15__BRV-008
14__BRV-003	16__BRV-011 *NEW*
14__BRV-004	16__BRV-012 *NEW*



ROAD DISC

19__BRD-001	23__BRD-009
19__BRD-002	23__BRD-008
20__BRD-501	24__BRD-509
20__BRD-502	24__BRD-508
21__BRD-003	25__BRD-513
21__BRD-004	25__BRD-518 *NEW*
22__BRD-503	26__BRD-023
22__BRD-504	



MTB

29__BMT-001	33__BMT-009
29__BMT-002	33__BMT-008
30__BMT-501	34__BMT-509
30__BMT-502	34__BMT-508
31__BMT-003	35__BMT-013
31__BMT-004	36__BMV-003
32__BMT-503	36__BMV-008
32__BMT-504	

MTB BOOST

38__BMB-001	42__BMB-009
38__BMB-002	42__BMB-008
39__BMB-501	43__BMB-509
39__BMB-502	43__BMB-508
40__BMB-003	44__BMB-013
40__BMB-004	44__BMB-513
41__BMB-503	45__BMB-007 *NEW*
41__BMB-504	45__BSS-004 *NEW*



DOWNHILL

47__BDH-003
47__BDH-004

DOWNHILL BOOST

48__BDH-013 *NEW*




FATBIKE

50__BFB-003
50__BFB-004
51__BFB-013
51__BFB-014

E-BIKE

53__BEB-004
53__BEB-514



QR

54__BQR-003 *UPDATED*
54__BQR-004
55__BQR-005
55__BTA-001



INTERCHANGEABLE AXLE SYSTEMS

FRONT HUBS:

Select from standard QR, 12mm Thru Axle or 15mm Thru Axle

REAR HUBS:

Select from standard QR or 12mm Thru Axle



SERVICEABILITY

All Bear Pawls hubs are serviceable without the use of tools. Durable cartridge bearings, alloy and steel materials are combined to create hub systems that are easy to build and service.



DURABILITY

Patented Anti-bite system protects lightweight alloy cassette bodies from drive damage.



DRIVEN TO WIN



Available as an optional upgrade only, Impel refers to our new 24T ratchet ring style driver compatible with select hubs. Unlike a traditional pawl system, Alexrims' ratchet ring provides more positive engagement with the hub for improved power transfer. Additionally, ratchet ring systems have increased lifespans and improved wear characteristics making them ideal for aggressive riding as well as eBikes.




DESIGNED TO ENHANCE THE LATEST E-BIKES



Bear Pawls E-Bike specific feature our latest Power Stroke Technology featuring the latest design to enhance strength and performance demanded by high torque E-bike applications.


- ✓ Precision-machined high load chromoly steel axle.
- ✓ Reinforced wall thickness increases hub shell structural strength.
- ✓ Application-specific freehub bearing extends part durability.
- ✓ Synchronous engagement driven by 6-pawls and 36 teeth to more evenly distribute drive forces.




INTERCHANGEABLE DRIVE SYSTEMS

All Bear Pawls rear hubs are interchangeable with our line of nine free hub bodies ranging from Shimano to SRAM, Alloy to Steel, Cassette or XD and 36-tooth engagement for the widest array of options and configurations available.

		MTB	ROAD 11S	XD	XDR	MICRO SPLINE	ANTI-BITE MTB	ANTI-BITE ROAD 11S
		A	B	C	D	F	H	I
PAWLS SYSTEM	3-PAWLS C+C STEEL	0A 	0B 					
CHANGE FREE HUB PAWLS SYSTEM	36T 3-PAWLS STEEL	1A 	1B 	1C 		1F 		
	36T 4-PAWLS ALLOY	2A 	2B 	2C 	2D 	2F 		
	36T 6-PAWLS 3-BEARING STEEL	3A 	3B 	3C 		3F 		
	72T 3x2 PAWLS ALLOY	4A 	4B 	4C 	4D 	4F 	4H 	4I 
CHANGE FREE HUB IMPEL SYSTEM	IMPEL 24T ALLOY	5A 	5B 	5C 	5D 	5F 		
	IMPEL 24T 3-BEARING STEEL	6A 	6B 	6C 		6F 		
	IMPEL 48T ALLOY	7A 	7B 	7C 	7D 	7F 	7H 	7I 



ROAD



BRV-001

STRAIGHT PULL SERIES FRONT HUB

DISC MOUNT	N/A
HOLE COUNT	18/20
GAUGE	14G
O.L.D.	100mm
QR TYPE	5mm
AXLE LENGTH	108mm
WEIGHT	62g
BEARING	DUAL

BRV-001 is a svelte, minimalist front hub ideal for climbing and aero wheelsets.



BRV-002

STRAIGHT PULL SERIES REAR HUB

DISC MOUNT	N/A
HOLE COUNT	24
GAUGE	14G
O.L.D.	130mm
QR TYPE	5mm
CASSETTE	B/D/I
AXLE LENGTH	140mm
WEIGHT	218g
BEARING	QUAD
OPTIONS	

BRV-002 combines sleek design, low weight and advanced features for the fastest rear wheels.



BRV-003

J-BEND SERIES FRONT HUB

DISC MOUNT	N/A
HOLE COUNT	20
GAUGE	14G
O.L.D.	100mm
QR TYPE	5mm
AXLE LENGTH	108mm
WEIGHT	76g
BEARING	DUAL

BRV-003 is a svelte, minimalist front hub ideal for climbing and aero wheel sets.



BRV-004

J-BEND SERIES REAR HUB

DISC MOUNT	N/A
HOLE COUNT	24/28/32
GAUGE	14G
O.L.D.	130mm
QR TYPE	5mm
CASSETTE	B/D/I
AXLE LENGTH	140mm
WEIGHT	248g
BEARING	QUAD
OPTIONS	   

BRV-004 combines sleek design, low weight and advanced features for the fastest rear wheels.



NEW BRV-013

J-Bend Series Front Hub

DISC MOUNT	N/A
HOLE COUNT	20
GAUGE	14G
O.L.D.	100mm
QR TYPE	5mm
AXLE LENGTH	108mm
WEIGHT	113g
BEARING	DUAL




BRV-008

J-BEND SERIES REAR HUB

DISC MOUNT	N/A
HOLE COUNT	24/28/32
GAUGE	14G
O.L.D.	130mm
QR TYPE	5mm
CASSETTE	0B
AXLE LENGTH	140mm
WEIGHT	370g
BEARING	DUAL

BRV-008 incorporates traditional J-bend spoke architecture in a fast and durable rear hub that is easy to service.





NEW **BRV-011**

Straight Pull Series Front Hub

DISC MOUNT	N/A
HOLE COUNT	18/20
GAUGE	14G
O.L.D.	100mm
QR TYPE	5mm
AXLE LENGTH	108mm
WEIGHT	98g
BEARING	DUAL

Unsurpassed lightweight design is the touchstone of the BRV-011 front hub design. Extremely minimalist design gets the job done and leaves nothing other than pure speed and efficiency.



NEW **BRV-012**

Straight Pull Series Rear Hub


DISC MOUNT	N/A
HOLE COUNT	24
GAUGE	14G
O.L.D.	130mm
QR TYPE	5mm
CASSETTE	B/D/I
AXLE LENGTH	140mm
WEIGHT	226g
BEARING	QUAD
OPTIONS	   

Traditional rim brake design still has its advantages. The BRV-011 / BRV-012 hub set leads the class in value and lightweight performance. Designed for use with straight pull spokes for perfect tension that invites sprints and quick power delivery.





ROAD
DISC



BRD-001

STRAIGHT PULL SERIES FRONT HUB

DISC MOUNT 6-BOLT

HOLE COUNT 24

GAUGE 14G

O.L.D. 100mm

QR TYPE 5/12/15mm

WEIGHT 147g

BEARING DUAL

BRD-001 combines modern design with disc brake compatibility.



BRD-002

STRAIGHT PULL SERIES REAR HUB

DISC MOUNT 6-BOLT

HOLE COUNT 24

GAUGE 14G

O.L.D. 135/142mm

QR TYPE 5/12mm

CASSETTE B/D/I

WEIGHT 245g

BEARING QUAD

OPTIONS IMPEL 36T 36T 72T

BRD-002 straight pull spoke design eliminates the stress typically imparted on J-bend spokes.



BRD-501

STRAIGHT PULL SERIES FRONT HUB

DISC MOUNT	CENTER LOCK
HOLE COUNT	24
GAUGE	14G
O.L.D.	100mm
QR TYPE	5/ 12/ 15mm
WEIGHT	147g
BEARING	DUAL

BRD-501 centerlock compatible.



BRD-502

STRIGHT PULL SERIES REAR HUB

DISC MOUNT	CENTER LOCK
HOLE COUNT	24
GAUGE	14G
O.L.D.	135/ 142mm
QR TYPE	5/ 12mm
CASSETTE	B/ D/ I
WEIGHT	242g
BEARING	QUAD
OPTIONS	   

BRD-502 centerlock compatible.



BRD-003

J-BEND SERIES FRONT HUB

DISC MOUNT	6-BOLT
HOLE COUNT	24/ 28/ 32
GAUGE	14G
O.L.D.	100mm
QR TYPE	5/ 12/ 15mm
WEIGHT	171g
BEARING	DUAL

BRD-003 combines traditional design with modern disc brake compatibility.



BRD-004

J-BEND SERIES REAR HUB

DISC MOUNT	6-BOLT
HOLE COUNT	24/ 28/ 32
GAUGE	14G
O.L.D.	135/ 142mm
QR TYPE	5/ 12mm
CASSETTE	B/ D/ I
WEIGHT	272g
BEARING	QUAD
OPTIONS	   

BRD-004 larger flange design makes a stronger wheel by increasing the included spoke angle.



BRD-503

J-BEND SERIES FRONT HUB

DISC MOUNT	CENTER LOCK
HOLE COUNT	24/28/32
GAUGE	14G
O.L.D.	100mm
QR TYPE	5/12/15mm
WEIGHT	149g
BEARING	DUAL

BRD-503 centerlock compatible.



BRD-504

J-BEND SERIES REAR HUB

DISC MOUNT	CENTER LOCK
HOLE COUNT	24/28/32
GAUGE	14G
O.L.D.	135/142mm
QR TYPE	5/12mm
CASSETTE	B/D/I
WEIGHT	265g
BEARING	QUAD
OPTIONS	   

BRD-504 centerlock compatible.



BRD-009

J-BEND SERIES FRONT HUB

DISC MOUNT	6-BOLT
HOLE COUNT	24/28/32/36
GAUGE	14G
O.L.D.	100mm
QR TYPE	12mm
WEIGHT	242g
BEARING	BALL BEARING

BRD-009 large-flange front hubs are best suited for road disc or gravel front wheels using wider rims and requiring increased lateral stiffness.



BRD-008

J-BEND SERIES REAR HUB

DISC MOUNT	6-BOLT
HOLE COUNT	24/28/32/36
GAUGE	14G
O.L.D.	135/142mm
QR TYPE	5/12mm
CASSETTE	0B
WEIGHT	400g
BEARING	DUAL

BRD-008 large-flange rear hubs are best suited for road disc or gravel rear wheels using wider rims requiring increased lateral stiffness.



BRD-509

J-BEND SERIES FRONT HUB

DISC MOUNT	CENTER LOCK
HOLE COUNT	24/28/32
GAUGE	14G
O.L.D.	100mm
QR TYPE	12mm
WEIGHT	210g
BEARING	BALL BEARING

BRD-509 centerlock compatible.



BRD-513

J-BEND SERIES FRONT HUB

DISC MOUNT	CENTER LOCK
HOLE COUNT	24/28/32
GAUGE	14G
O.L.D.	100mm
QR TYPE	5/12/15mm
WEIGHT	160g
BEARING	DUAL

BRD-513 front hubs are centerlock disc compatible and are adaptable from 5mm QR or 12mm thru-axle.



BRD-508

J-BEND SERIES REAR HUB

DISC MOUNT	CENTER LOCK
HOLE COUNT	24/28/32
GAUGE	14G
O.L.D.	135/142mm
QR TYPE	5/12mm
CASSETTE	OB
WEIGHT	364g
BEARING	DUAL

BRD-508 centerlock compatible.



NEW

BRD-518

J-Bend Series Rear Hub

DISC MOUNT	CENTER LOCK
HOLE COUNT	24/28/32
GAUGE	14G
O.L.D.	148mm
QR TYPE	12mm
CASSETTE	OB
WEIGHT	361g
BEARING	DUAL

The BRD-518 rear hub incorporates modern, elegant shapes to compliment the organic lines of today's carbon and shaped alloy frames. The sweeping hub shell is also aerodynamic and efficient.



BRD-023

J-BEND SERIES FRONT HUB

DISC MOUNT	6-BOLT
HOLE COUNT	24/28/32/36
GAUGE	14G
O.L.D.	100mm
QR TYPE	5/ 12/ 15mm
WEIGHT	195g
BEARING	DUAL

BRD-023 large-flange front hubs are 6-bolt disc compatible and are adaptable from 5mm QR or 12mm/ 15mm thru-axle.



BMT-001

STRAIGHT PULL SERIES FRONT HUB

DISC MOUNT	6-BOLT
HOLE COUNT	28
GAUGE	14G
O.L.D.	100mm
QR TYPE	5 / 12 / 15mm
WEIGHT	138g
BEARING	DUAL

BMT-001 matches perfectly with wheels paired with the latest integrated group sets.



BMT-002

STRAIGHT PULL SERIES REAR HUB

DISC MOUNT	6-BOLT
HOLE COUNT	28
GAUGE	14G
O.L.D.	135 / 142mm
QR TYPE	5 / 12mm
CASSETTE	A / C / F / H
WEIGHT	250g
BEARING	QUAD
OPTIONS	   

BMT-002 is a robust choice for XC, Trail and Enduro applications.


MTB

BMT-501

BMT-501 centerlock compatible.

STRAIGHT PULL SERIES FRONT HUB

DISC MOUNT	CENTER LOCK
HOLE COUNT	28
GAUGE	14G
O.L.D.	100mm
QR TYPE	5/12/15mm
WEIGHT	134g
BEARING	DUAL




BMT-502

BMT-502 centerlock compatible.

STRAIGHT PULL SERIES REAR HUB

DISC MOUNT	CENTER LOCK
HOLE COUNT	28
GAUGE	14G
O.L.D.	135 / 142mm
QR TYPE	5 / 12mm
CASSETTE	A / C / F / H
WEIGHT	250g
BEARING	QUAD
OPTIONS	   



BMT-003

BMT-003 matches perfectly with wheels paired with the latest integrated groupsets.

J-BEND SERIES FRONT HUB

DISC MOUNT	6-BOLT
HOLE COUNT	24/28/32/36
GAUGE	14G
O.L.D.	100mm
QR TYPE	5/12/15mm
WEIGHT	171g
BEARING	DUAL



BMT-004

BMT-004 is a robust choice for XC, Trail and Enduro applications.

J-BEND SERIES REAR HUB

DISC MOUNT	6-BOLT
HOLE COUNT	24/28/32/36
GAUGE	14G
O.L.D.	135mm
QR TYPE	5/12mm
CASSETTE	A/C/F/H
WEIGHT	278g
BEARING	QUAD
OPTIONS	   



BMT-503

J-BEND SERIES FRONT HUB

DISC MOUNT	CENTER LOCK
HOLE COUNT	24/28/32
GAUGE	14G
O.L.D.	100mm
QR TYPE	5/12/15mm
WEIGHT	147g
BEARING	DUAL

BMT-503 centerlock compatible.



BMT-504

J-BEND SERIES REAR HUB

DISC MOUNT	CENTER LOCK
HOLE COUNT	24/28/32
GAUGE	14G
O.L.D.	135/142mm
QR TYPE	5/12mm
CASSETTE	A/C/F/H
WEIGHT	273g
BEARING	QUAD
OPTIONS	IMPEL 36T 36T 72T

BMT-504 centerlock compatible.



BMT-009

J-BEND SERIES FRONT HUB

DISC MOUNT	6-BOLT
HOLE COUNT	28/32/36
GAUGE	14G
O.L.D.	100mm
QR TYPE	15mm
WEIGHT	237g
BEARING	BALL BEARING

BMT-009 large-flange front hubs are best suited for front wheels using wider rims and requiring increased lateral stiffness.



BMT-008

J-BEND SERIES REAR HUB

DISC MOUNT	6-BOLT
HOLE COUNT	28/32/36
GAUGE	14G
O.L.D.	135/142mm
QR TYPE	5/12mm
CASSETTE	0A
WEIGHT	410g
BEARING	DUAL

BMT-008 large-flange rear hubs are best suited rear wheels using wider rims requiring increased lateral stiffness.



BMT-509

J-BEND SERIES FRONT HUB

DISC MOUNT	CENTER LOCK
HOLE COUNT	24/28/32
GAUGE	14G
O.L.D.	100mm
QR TYPE	15mm
WEIGHT	202g
BEARING	BALL BEARING

BMT-509 centerlock compatible.



BMT-013

J-BEND SERIES FRONT HUB

DISC MOUNT	6-BOLT
HOLE COUNT	24/28/32/36
GAUGE	14G
O.L.D.	100mm
QR TYPE	5/15mm
WEIGHT	183g
BEARING	DUAL

BMT-013 large-flange front hubs are 6-bolt disc compatible and are adaptable from 5mm QR or 15mm thru-axle.



BMT-508

J-BEND SERIES REAR HUB

DISC MOUNT	CENTER LOCK
HOLE COUNT	24/28/32
GAUGE	14G
O.L.D.	135/142mm
QR TYPE	5/12mm
CASSETTE	0A
WEIGHT	371g
BEARING	DUAL

BMT-508 centerlock compatible.



BMV-003

J-BEND SERIES FRONT HUB

DISC MOUNT	N/A
HOLE COUNT	24/28/32
GAUGE	14G
O.L.D.	100mm
QR TYPE	5mm
WEIGHT	124g
BEARING	DUAL

BMV-003 is a cross platform front hub designed for lightweight XC, gravel and CX wheelsets for rim brakes with minimalist construction.



BMV-008

J-BEND SERIES REAR HUB

DISC MOUNT	N/A
HOLE COUNT	24/28/32
GAUGE	14G
O.L.D.	135mm
QR TYPE	5mm
CASSETTE	0A
WEIGHT	397g
BEARING	DUAL

BMV-008 is a cross platform rear hub designed for lightweight XC, gravel and CX wheelsets for rim brakes with minimalist construction.



BMB-001

STRIGHT PULL SERIES FRONT HUB

DISC MOUNT	6-BOLT
HOLE COUNT	28
GAUGE	14G
O.L.D.	110mm
QR TYPE	5/12/15mm
WEIGHT	146g
BEARING	DUAL

BMB-001 front hubs utilize a modern, high tech geometry optimized for straight-pull spokes.



BMB-501

STRIGHT PULL SERIES FRONT HUB

DISC MOUNT	CENTER LOCK
HOLE COUNT	28
GAUGE	14G
O.L.D.	110mm
QR TYPE	5/12/15mm
WEIGHT	142g
BEARING	DUAL

BMB-501 centerlock compatible.



BMB-002

STRIGHT PULL SERIES REAR HUB

DISC MOUNT	6-BOLT
HOLE COUNT	28
GAUGE	14G
O.L.D.	141/148mm
QR TYPE	5/12mm
CASSETTE	A/C/F/H
WEIGHT	254g
BEARING	QUAD
OPTIONS	IMPEL 36T 36T 72T

BMB-002 rear hubs utilize a modern, high tech geometry optimized for straight-pull spokes.



BMB-502

STRIGHT PULL SERIES REAR HUB

DISC MOUNT	CENTER LOCK
HOLE COUNT	28
GAUGE	14G
O.L.D.	141/148mm
QR TYPE	5/12mm
CASSETTE	A/C/F/H
WEIGHT	254g
BEARING	QUAD
OPTIONS	IMPEL 36T 36T 72T

BMB-502 centerlock compatible.



BMB-003

J-BEND SERIES FRONT HUB

DISC MOUNT	6-BOLT
HOLE COUNT	24/28/32/36
GAUGE	14G
O.L.D.	110mm
QR TYPE	5/12/15mm
WEIGHT	178g
BEARING	DUAL

BMB-003 boost spacing is ideal for Enduro, Plus and Trail applications.



BMB-004

J-BEND SERIES REAR HUB

DISC MOUNT	6-BOLT
HOLE COUNT	24/28/32/36
GAUGE	14G
O.L.D.	141/148mm
QR TYPE	5/12mm
CASSETTE	A/C/F/H
WEIGHT	282g
BEARING	QUAD
OPTIONS	

BMB-004 Boost rear spacing and standard XD driver is the perfect Enduro and All Mountain rear hub.



BMB-503

J-BEND SERIES FRONT HUB

DISC MOUNT	CENTER LOCK
HOLE COUNT	24/28/32
GAUGE	14G
O.L.D.	110mm
QR TYPE	5/12/15mm
WEIGHT	145g
BEARING	DUAL

BMB-503 centerlock compatible.



BMB-504

J-BEND SERIES REAR HUB

DISC MOUNT	CENTER LOCK
HOLE COUNT	24/28/32
GAUGE	14G
O.L.D.	141/148mm
QR TYPE	5/12mm
CASSETTE	A/C/F/H
WEIGHT	277g
BEARING	QUAD
OPTIONS	

BMB-504 centerlock compatible.



BMB-009

J-BEND SERIES FRONT HUB

DISC MOUNT	6-BOLT
HOLE COUNT	28/32/36
GAUGE	14G
O.L.D.	110mm
QR TYPE	15mm
WEIGHT	250g
BEARING	BALL BEARING

The BMB-009 is the ideal front hub for rugged trail and enduro use.



BMB-509

J-BEND SERIES FRONT HUB

DISC MOUNT	CENTER LOCK
HOLE COUNT	24/28/32
GAUGE	14G
O.L.D.	110mm
QR TYPE	15mm
WEIGHT	215g
BEARING	BALL BEARING

BMB-509 centerlock compatible.



BMB-008

J-BEND SERIES REAR HUB

DISC MOUNT	6-BOLT
HOLE COUNT	28/32/36
GAUGE	14G
O.L.D.	141/148mm
QR TYPE	5/12mm
CASSETTE	0A
WEIGHT	416g
BEARING	DUAL

Robust and traditional in design, the BMB-008 is a workhorse rear hub capable of daily abuse.



BMB-508

J-BEND SERIES REAR HUB

DISC MOUNT	CENTER LOCK
HOLE COUNT	24/28/32
GAUGE	14G
O.L.D.	141/148mm
QR TYPE	5/12mm
CASSETTE	0A
WEIGHT	427g
BEARING	DUAL

BMB-508 centerlock compatible.



BMB-013

J-BEND SERIES FRONT HUB

DISC MOUNT	6-BOLT
HOLE COUNT	24/28/32/36
GAUGE	14G
O.L.D.	110mm
QR TYPE	5/12/15mm
WEIGHT	190g
BEARING	DUAL

BMB-013 boost front hubs are a robust, workhorse level hub for Enduro, Trail and XC applications.



BMB-513

J-BEND SERIES FRONT HUB

DISC MOUNT	CENTER LOCK
HOLE COUNT	24/28/32
GAUGE	14G
O.L.D.	110mm
QR TYPE	5/12/15mm
WEIGHT	169g
BEARING	DUAL

BMB-513 centerlock compatible.



BMB-007

J-Bend Series Rear Hub

DISC MOUNT	6-BOLT
HOLE COUNT	28/32/36
GAUGE	14G
O.L.D.	141 / 148mm
QR TYPE	5/ 12mm
CASSETTE	C/F
WEIGHT	445g
BEARING	TRIPLE

This boost spacing rear hub is focused on performance, leaving nothing to waste. A contoured hub shell houses 3 sealed cartridge bearings without leaving any superfluous material. The result is a long lasting, lightweight rear hub that can take the offroad abuse.



NEW **BSS-004**

J-Bend Series Rear Hub

DISC MOUNT	6-BOLT
HOLE COUNT	28/32/36
GAUGE	14G
O.L.D.	141/148mm
QR TYPE	5/12mm
CASSETTE	S
WEIGHT	384g
BEARING	QUAD
OPTIONS	N/A

Our latest dedicated single speed rear hub was designed from the ground up as a dedicated performer compared to some other manufacturer's version that were derived from standard geared hubs. Designed for the high torque of single speed riding, the non-drive side hub flange is weight relieved while the drive side remains solid for strength.



BDH-003

J-BEND SERIES FRONT HUB

DISC MOUNT	6-BOLT
HOLE COUNT	28 / 32 / 36
GAUGE	14G
O.L.D.	110mm
QR TYPE	20mm
WEIGHT	234g
BEARING	DUAL



A dedicated downhill front hub, the BDH-003 boasts and reinforced disc rotor mount and 20mm oversize thru-axle bore for maximum speed control.

BDH-004

J-BEND SERIES REAR HUB

DISC MOUNT	6-BOLT
HOLE COUNT	28 / 32 / 36
GAUGE	14G
O.L.D.	150 / 157mm
QR TYPE	12mm
CASSETTE	3-A / C / F
WEIGHT	306g
BEARING	PENTA
OPTIONS	IMPEL 36T 36T 72T



The BDH-004 utilizes an oversized hub shell with reinforced disc rotor mount and steel clad cassette body for maximum torque management.

DOWNHILL



NEW BDH-013

J-Bend Series Front Hub

DISC MOUNT	6-BOLT
HOLE COUNT	28/32/36
GAUGE	14G
O.L.D.	110mm
QR TYPE	20mm
WEIGHT	238g
BEARING	DUAL

Our latest DH-specific front hub uses high flanges for a wide bracing angle resulting in stronger wheels that are less prone to deflection. A 20mm thru axle design and boost spacing are compatible with all modern DH forks.



BFB-003

J-BEND SERIES FRONT HUB

DISC MOUNT	6-BOLT
HOLE COUNT	32/36
GAUGE	14G
O.L.D.	150mm
QR TYPE	15mm
WEIGHT	242g
BEARING	DUAL

The BFB-003’s extra wide spacing is optimal for Fat Bike applications requiring a wide stance in an efficient system.



BFB-013

J-BEND SERIES FRONT HUB

DISC MOUNT	6-BOLT
HOLE COUNT	32/36
GAUGE	14G
O.L.D.	135mm
QR TYPE	5/15mm
WEIGHT	227g
BEARING	DUAL

The BFB-013 is an intermediate width front hub for fat bikes using a 135mm O.L.D.



BFB-004

J-BEND SERIES REAR HUB

DISC MOUNT	6-BOLT
HOLE COUNT	32/36
GAUGE	14G
O.L.D.	190/197mm
QR TYPE	12mm
CASSETTE	3-A/C/F
WEIGHT	427g
BEARING	PENTA
OPTIONS	   

The BFB-004’s extra wide spacing is optimal for Fat Bike applications requiring a wide stance in an efficient system.



BFB-014

J-BEND SERIES REAR HUB

DISC MOUNT	6-BOLT
HOLE COUNT	32/36
GAUGE	14G
O.L.D.	170/177mm
QR TYPE	5/12mm
CASSETTE	3-A/C/F
WEIGHT	409g
BEARING	PENTA
OPTIONS	   

The BFB-014 is an intermediate width rear hub for fat bikes using 170/177mm O.L.D.






E-BIKE



E-BIKE



BEB-004

J-BEND SERIES REAR HUB

DISC MOUNT	6-BOLT
HOLE COUNT	28/32/36
GAUGE	14G
O.L.D.	148mm
QR TYPE	12mm
CASSETTE	3-A/C/F
WEIGHT	417g
BEARING	PENTA
OPTIONS	   

The BEB-004 robust construction is able to handle the added torque of E-Bike drivetrain systems.



BEB-514

J-BEND SERIES REAR HUB

DISC MOUNT	CENTER LOCK
HOLE COUNT	24/28/32
GAUGE	14G
O.L.D.	148mm
QR TYPE	12mm
CASSETTE	3-A/C/F
WEIGHT	397g
BEARING	PENTA
OPTIONS	   

The BEB-514 utilizes an oversized hub shell with reinforced centerlock disc rotor mount and steel clad cassette body for maximum torque management.



BQR-003

LEVER MATERIAL	ALLOY
AXLE MATERIAL	CR-MO (PHOSPHATE)
WEIGHT	F 109 : 54g / R 144 : 58g
AXLE DIAMETER	5mm



BQR-004

LEVER MATERIAL	ALLOY
AXLE MATERIAL	CR-MO (CP)
WEIGHT	F 109 : 40g / R 144 : 45g
AXLE DIAMETER	5mm



BQR-005

LEVER MATERIAL	ALLOY
AXLE MATERIAL	CR-MO (PHOSPHATE)
WEIGHT	F 109 : 56g / R 144 : 63g
AXLE DIAMETER	5mm



BTA-001

LEVER MATERIAL	ALLOY
AXLE MATERIAL	ALLOY
WEIGHT	
AXLE DIAMETER	12/15mm



BEARPAWLS 2024-2025



**BEAR
PAWLS**

the
evolution
continues...

bearpawls.com

